

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	4	("4631510" "5446966").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/10/28 10:04
S2	418	NISHIMURA-SHINJI.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/10/27 20:49
S3	38	NAKANO-MASATSUGU.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/12 06:31
S4	7	(S2 S3) and output near2 two and (driv\$3 excitation) near2 one	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/10/27 21:01
S5	2	"20020002777"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/10/27 19:58
S6	5860	324/207.15,207.16,207.17,207.25.ccls. 310/68B,168.ccls. 318/661.ccls. 33/1PT. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/10/27 19:59
S7	144	S6 and convert\$3 near3 phase	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/10/28 13:57
S8	1369	310/168.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/10/27 21:01
S9	5860	324/207.15,207.16,207.17,207.25.ccls. 310/68B,168.ccls. 318/661.ccls. 33/1PT. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/10/28 08:29

S10	122	S9 and (winding coil) near3 (convert\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/10/28 10:05
S11	4143	310/184,198,166.ccls. 310/203-208.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/10/28 10:05
S13	89	S11 and (winding coil) near3 (conver\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/10/28 10:06
S14	5860	324/207.15,207.16,207.17,207.25.ccls. 310/68B,168.ccls. 318/661.ccls. 33/1PT. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/10/28 10:05
S15	122	S14 and (winding coil) near3 (convert\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/10/28 10:05
S16	122	S14 and (winding coil) near3 (convert\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/10/28 10:06
S17	0	S15 not S16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/10/28 10:06
S18	79	S13 not S15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/10/28 18:38
S19	4143	310/184,198,166.ccls. 310/203-208.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/10/28 13:55

S20	5860	324/207.15,207.16,207.17,207.25.ccls. 310/68B,168.ccls. 318/661.ccls. 33/1PT. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/10/28 13:55
S21	9863	(S19 S20)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/10/28 13:56
S22	52	S21 and two near phase near output	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/10/28 14:07
S23	89	S19 and (winding coil) near3 (conver\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/10/28 13:57
S24	122	S20 and (winding coil) near3 (convert\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/10/28 13:57
S25	79	S23 not S24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/10/28 13:57
S26	52	S22 not S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/10/28 13:57
S27	5860	324/207.15,207.16,207.17,207.25.ccls. 310/68B,168.ccls. 318/661.ccls. 33/1PT. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/10/28 13:57
S28	122	S27 and (winding coil) near3 (convert\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/10/28 13:57

S29	49	S26 not S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/10/28 13:57
S30	62	S21 and (two "2") near phase near output	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/08 16:19
S31	41	S21 and turns near3 (conver\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/10/28 15:27
S32	1085	S21 and (amount number) near3 turns	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/10/28 15:29
S33	334	S32 and ("2" two) near2 phase	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/10/28 15:30
S35	322	S33 not S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/10/28 15:30
S36	293	S35 not S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/10/28 15:30
S37	273	S36 not (S30 S31)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/10/28 15:47
S38	6131	S21 and (coil winding)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/10/28 15:48

S39	3074	S38 and phase	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/10/28 15:48
S40	4143	310/184,198,166.ccls. 310/203-208.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/10/28 16:15
S41	5860	324/207.15,207.16,207.17,207.25.ccls. 310/68B,168.ccls. 318/661.ccls. 33/1PT. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/10/28 16:15
S42	9863	(S40 S41)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/10/28 16:15
S43	6131	S42 and (coil winding)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/10/28 16:15
S44	3074	S43 and phase	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/10/28 16:15
S45	1596	S44 and turns same (coil winding)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/10/29 20:06
S57	4143	310/184,198,166.ccls. 310/203-208.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/10/30 12:28
S58	5860	324/207.15,207.16,207.17,207.25.ccls. 310/68B,168.ccls. 318/661.ccls. 33/1PT. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/10/30 12:28

S59	9863	(S57 S58)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/10/30 12:28
S60	156	S59 and (determin\$5 find\$3 calculat\$5 comput\$5) near3 turn	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/10/30 15:03
S61	12	"5,825,111"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/10/30 12:35
S62	41	S59 and (conver\$5) near3 turn	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/10/30 15:03
S63	36	S62 not S60	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/10/30 15:03
S64	722	stator and rotor and (determin\$5 find\$3 calculat\$5 comput\$5 converting conversion convert converted) near3 turn and turn same (coil winding)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/08 16:23
S65	671	S64 not S60	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/10/30 15:08
S66	667	S65 not S63	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/10/30 15:08
S71	300	S66 and (two "2") near3 phase	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/10/30 15:09

S72	2890	H02K015/00.IPC.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/08 16:20
S75	229157	G01B\$.IPC.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/08 16:20
S78	25	(S72 S75) and stator and rotor and (determin\$5 find\$3 calculat\$5 comput\$5 converting conversion convert converted) near3 (turn phase) and (turn phase) same (coil winding) and (S73 adj phase two adj phase)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/08 16:35
S79	30	(S72 S75) and stator and rotor and (determin\$5 find\$3 calculat\$5 comput\$5 converting conversion convert converted) near3 (turn phase) and (S73 adj phase two adj phase)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/08 17:03
S80	5	S79 not S78	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/08 16:47
S95	30	(S72 S75) and stator and (determin\$5 find\$3 calculat\$5 comput\$5 converting conversion convert converted) near3 (turn phase) and (S73 adj phase two adj phase)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/08 17:11
S101	5863	324/207.15,207.16,207.17,207.25.ccls. 310/68B,168.ccls. 318/661.ccls. 33/1PT. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/12 05:23
S102	0	S101 and stator and teeth near3 (nine "9") and mulitple adj angle near3 ("4" four "8" eight)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/10 16:55
S103	0	S101 and mulitple adj angle near3 ("4" four "8" eight)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/10 16:55

S104	8	shaft adj multiple adj angle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/10 17:04
S105	2	"20040070389"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/10 16:59
S106	2708	multiple adj angle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/10 17:04
S107	10	S101 and S106	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/10 17:16
S108	5884	324/207.15,207.16,207.17,207.25.ccls. 310/68B,168.ccls. 318/661.ccls. 33/1PT. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/12 06:51
S109	1606	S108 and stator and rotor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/12 05:24
S111	129	S109 and (nine "9") near3 (teeth pole)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/12 05:25
S112	49	S111 and (three "3") near3 winding	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/12 05:31
S113	966	310/68b.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/12 05:43

S114	1370	310/168.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/12 05:53
S116	1466	stator with (nine "9") near3 (teeth pole)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/12 05:53
S117	331	S116 and rotor with (four "4") near3 (teeth pole)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/12 05:54
S118	2827	S108 and order	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/12 06:31
S119	3	S108 and spatial adj order	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/12 06:32
S120	23	S108 and change near3 permeance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/12 06:32
S121	4	("4631510" "5446966").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/12 06:51